

Play value

Our Giant Elephant can be seen from a long way away. The large animal is an impressive example of play space design. Small and big children immediately recognise the elephant and want to explore the life within. A large play area is situated in the body, which invites them to hide away and engage in role-playing games. The back of the proud animal is graced with a play house in the form of a palanquin, which children can climb up to. The tunnel slide in the trunk allows a quick getaway to the ground.



custom-made design with coloured castle




Fundamental characteristics

- impressive design statement
- very special appeal
- eye-catcher of a play area
- attractive meeting point
- large play area underneath the platform
- incentive for playing: curiosity, role-playing games, experiencing height, hiding
- movement: climbing up and around, observing, sliding


Giant Elephant with Tunnel Slide

Suitable

- for children from 6 years and teenagers
- for public playgrounds
- parks
- exhibitions
- leisure parks



8.76000



Safety check according to EN 1176 and Equal Safety in Different Ways

Components

- 1 giant elephant with 4 ladders
- 1 tunnel slide
- 1 horizontal net approx. 2.20 x 1.70 m
- 1 bent fireman's pole

Installation information

Surfacing requirements corresponding to a fall height of ≤ 3.00 m (please refer to price list for more detailed information)

Foundations

Giant Elephant

- 4 items 300 x 300 x 20 cm excavation depth 100 cm
- 4 items 270 x 270 x 40 cm no separate excavation required to be steel-reinforced on site (not included)

Tunnel Slide

- 3 items 100 x 50 x 40 cm excavation depth 80 cm
- 1 item 80 x 80 x 40 cm excavation depth 80 cm

Firemen's Pole

- 1 item 40 x 40 x 30 cm excavation depth 70 cm

Attention!

Exact measurements may vary, for all installation dimensions refer to current installation instructions.
We reserve the right to make technical alterations!

Technical information

equipment of mountain larch, selected according to eight quality criteria

stand posts of square timber 18/18 cm (not core-free)

high-quality carpentry joints

core-free
sawn-timbers core-free, thus decreasing occurrences of cracking



claddings
thickness 3–6 cm, de-barked by hand



tongue and groove
platform made of 40 mm tongue and groove boarding



hardwood rungs
climbing rungs of hardwood, milled and mortised, Ø 42 mm



Corocord® rope special ropes of Hercules type
net of 19 mm six-strand Corocord® rope of the special Hercules type, abrasion-protected through heating of the six steel strands and melting the polyamide sleeve onto them



aluminium swages
double-conical aluminium swages with rounded-off ends



S-clamps
neatly rounded Corocord® S-clamps made of stainless steel, Ø 8 mm



anchoring to the ground
all parts used for anchoring to the ground made of hot-dip galvanised steel



fittings hot-dip galvanised


firemen's pole made of stainless steel

tunnel slide made of stainless steel

Dimensions
(small deviations possible)

height	6.65 m
length	17.15 m
width	6.00 m
weight	on request

Please refer to the price list for a more detailed explanation of the quality characteristics.



8.76000